

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/643,199	08/18/2003		Clarence D. Deal	2750-001	3662
23547	7590	05/21/2004		EXAMINER	
MARY M LEE, P.C.				LE, DANG D	
3441 W. ME	EMORIAL	ROAD		ART UNIT	PAPER NUMBER
SUITE 8				ARTONII	IAIERNOMBER
OKLAHOMA CITY, OK 73134				2834	

DATE MAILED: 05/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

·	Applicati n No.	Applicant(s)					
	10/643,199	DEAL, CLARENCE D.					
Office Action Summary	Examiner	Art Unit					
	Dang D Le	2834					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	86(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on	_ ·						
2a) This action is FINAL . 2b) ⊠ This	action is non-final.						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
 4) Claim(s) 1-94 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-94 are subject to restriction and/or expressions. 		•					
Application Papers							
9) The specification is objected to by the Examiner							
	☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the c		, ,					
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Example 11.		• • •					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	have been received. have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage					
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te atent Application (PTO-152)					

Application/Control Number: 10/643,199

Art Unit: 2834

DETAILED ACTION

Election/Restrictions

- 1. Claims 1 and 46 are generic to a plurality of disclosed patentably distinct species comprising:
 - The electric motor with claims 2-7, 14, 15, 17, 18, 27-35, 47-52, 59, 60, and 72-80.
 - The speed control circuit with claims 8-13, 16, 53-58, and 61-63.
 - The sequencing circuit with claims 19-22 and 64-67.
 - The cycling circuit with claims 23-26 and 68-71.
 - The coil operating circuit with claims 36-41 and 81-86.
 - The circuit for controlling with claims 36, 42-45, 81, 87-90, and 91-94.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species, even though this requirement is traversed.

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Application/Control Number: 10/643,199 Page 3

Art Unit: 2834

2. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Information on How to Contact USPTO

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dang D Le whose telephone number is (571) 272-2027. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on (571) 272-2044. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

5/14/04

DANGLE PRIMARY EXAMINES